



DEPARTMENT OF HEALTH & HUMAN SERVICES

Public Health Service

Food and Drug Administration
9200 Corporate Boulevard
Rockville MD 20850

OCT 11 2002

Med-Logics, Inc.
c/o Mr. Mark Moyer
Vice President
26061 Merit Circle, Suite 102
Laguna Hills, CA 92653

Re: K022716

Trade Name: Med-Logics Model 7020CLB™ Microkeratome Blade
Classification Regulation Number: 886.4370
Regulation Name: Keratome
Regulatory Class: I
Product Code: HNO
Dated: August 14, 2002
Received: August 15, 2002

Dear Mr. Moyer:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the Federal Register.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

This letter will allow you to begin marketing your device as described in your Section 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801 and additionally 21 CFR Part 809.10 for in vitro diagnostic devices), please contact the Office of Compliance at (301) 594-4613. Additionally, for questions on the promotion and advertising of your device, please contact the Office of Compliance at (301) 594-4639. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR Part 807.97). Other general information on your responsibilities under the Act may be obtained from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its Internet address <http://www.fda.gov/cdrh/dsma/dsmamain.html>

Sincerely yours,

A handwritten signature in black ink, reading "A. Ralph Rosenthal". The signature is written in a cursive, flowing style.

A. Ralph Rosenthal, M.D.
Director
Division of Ophthalmic and Ear,
Nose and Throat Devices
Office of Device Evaluation
Center for Devices and
Radiological Health



MED-LOGICS

510(k) Notification

Model 7020CLB™ Microkeratome Blade

Page 4

PNS 500-0102

File Document

INDICATIONS FOR USE FORM

510(k) number (if known): K022716


Device Name: Microkeratome Blade

Indications for Use:

The Med-Logics 7020CLB microkeratome blades are to be used as replacement blades for the Moria C-B™ microkeratome.

----- (PLEASE DO NOT WRITE BELOW THIS LINE - CONTINUE ON ANOTHER PAGE IS NEEDED) -----

Concurrence of CDRH, Office of Device Evaluation (ODE)


(Division Sign-Off)
Division of Ophthalmic Ear,
Nose and Throat Devices

510(k) Number K022716

Prescription Use



OR

Over-the-Counter Use

Per 21 CFR 801.109

(Optional Format 1-2-56)

For Use By Affiliates Of Med-Logics, Inc.

This document contains proprietary information. It may not be reproduced or disclosed without prior written approval.

THE USER OF THIS DOCUMENT IS RESPONSIBLE FOR VERIFYING CURRENT REVISION BEFORE USING THIS DOCUMENT